


## Solar Energy South Africa

# Armenia esco ac2 4e8



## Armenia esco ac2 4e8

---



### Esco Airstream E-Series Class II Cabinets AC2-4E8

Class II cabinet Esco Airstream E-Series working width 1220mm, manual sliding sash, 1 fan, 0.16kW maximum power draw, 61.1dB noise level, no VHP ports, recirculating, no angled HEPA filter, with 2 years warranty

### AC2-4E8-TU ESCO Tu an toàn sinh học cap II

Mô tả AC2-4E8-TU ESCO Tu an toàn sinh học cap II. Giới thiệu chung về tu an toàn sinh học cap II AC2-4E8-TU: Tu an toàn sinh học AC2-4E8-TU ESCO thiết kế nhỏ gọn, do on thép và tiết kiệm năng lượng nhất thế giới. Được tổ chức TÜV NORD chung nhận đạt tiêu chuẩn EN 12469



### Tu an toàn sinh học cap II Esco Airstream AC2-2E8, AC2-3E8, AC2-4E8

Tu an toàn sinh học cap II Esco Airstream AC2-2E8, AC2-3E8, AC2-4E8, AC2-5E8, AC2-6E8. Tu an toàn sinh học cap II Esco Airstream® là một giải pháp hiệu quả cho việc vận hành, sản phẩm và bảo vệ môi trường cho các phòng thí nghiệm và các nhà máy công nghiệp.

### Tu an toàn sinh học cap II AC2-4E8 Esco

Mã code: AC2-4E8 Thuong hieu: Esco Mô ta nhanh. Tu an toàn sinh học cấp II AC2-4E8 Esco là tu an toàn sinh học kích thước cơ bản 1.2m thuộc dòng Airstream của hãng Esco, với 3 chức năng bảo vệ sản phẩm/ vật mẫu, người sử dụng và môi trường, đạt các tiêu chuẩn: EN12469 được PHE (to chức sức khỏe công đồng



## Airstream® NS (E-series) G4 Class II Type A2 BSC

AC2-4E8-NS G4 8" Airstream® NS G4 Class II Type A2 Biological Safety Cabinet, 4ft/1.2m, 8-inch opening: 2011600: AC2-4E8-NS G4 10" Airstream® NS G4 Class II Type A2 Biological Safety Cabinet, 4ft/1.2m, 10-inch opening: ...

## Airstream Model AC2-4E8-TU Class II Biological Safety ...

Model AC2-4E8-TU. 2 Certified by TÜV NORD, Germany for compliance to DIN EN 12469 Esco AC2 Airflow: OK I: 0.48 m/s Socket: ON 15:34 Sash: OK D: 0.35 m/s Displays all safety information on one screen Centered and angled down for easy reach & viewing Selectable Quickstart mode for fast operation





## Postes de Sécurité Microbiologique de Classe II

Esco AC2 Airflow: OK I: 0.48 m/s Socket: ON 15:34 Sash: OK D: 0.35 m/s Bouton Diagnostics, pour vérifier facilement les paramètres de fonctionnement de AC2-4E8-TU 2011005 AC2-5E8-TU 2010981 AC2-6E8-TU 2011007 Côté en Acier Inoxydable: 220-240 VAC, 50/60 Hz AC2-3S8-TU 2011037 AC2-4S8-TU 2010749

AC2-5S8-TU 2010980 AC2-6S8-TU

## Esco , Tu an toàn sinh học cấp 2 loại A2 Airstream® Plus (Dòng ...

Hướng dẫn bảo trì định kỳ và vệ sinh tu cấy vi sinh Esco; Đặc tính tu an toàn AC2; AC2-3E8 & 3S8-TU TUV Certificate AC2-4E8 & 4S8-TU TUV Certificate AC2-5E8 & 5S8-TU TUV Certificate AC2-6E8 & 6S8-TU TUV Certificate CE Certificate. CATALOG



## Esco , Class II Microbiological Safety Cabinets, Gen 3 (E-Series)

The Esco Airstream® Class II Biological Safety Cabinet is an effective solution in providing operator, product and environmental protection within laboratories and industrial facilities. With ...

## Esco Airstream® A2????????? (E??)-????-???? ...

Esco Airstream® A2????????? (E??)  
 ??????????????, ??????, ??????????????????  
 ???ECM?????, ????????, ?????????? ...



## TU AN TOÀN SINH HỌC CẤP II

Model: AC2-4E8 \* Đặc tính chung Hiệu suất màng lọc ULPA > 99.999% các hạt 0.1 đến 0.3 micron và > 99.995% MPPS tại 0.1 micron Vi xử lý



## TU AN TOÀN SINH HỌC CAP II A2 Model: AC2-4E8 Hãng Esco

TU AN TOÀN SINH HỌC CAP II A2 Model: AC2-4E8  
 Hãng sản xuất: Esco - Singapore Xuất xứ:  
 Indonesia Tu an toàn sinh học cap II ESCO Cung  
 cấp bao gồm: + 01 thân tu chính + Chân đế tu  
 SPC-4A0 Gen 2 + 0 cam diện bên trong tu + 02  
 đèn huỳnh quang, 01 đèn UV-30A + Sách hướng  
 dẫn sử dụng Đặc tính kỹ thuật - Thiết bị đạt



## [Airstream® Plus Class II BSC](#)

The Esco Airstream® Plus Class II BSC - E series (AC2- E-TU) has tempered glass sidewalls that increases visibility and prevents the operator from experiencing a "boxed-in" feeling. This unit is also equipped with multi-piece, autoclavable work tray for easy cleaning process. AC2-4E8-TU: Airstream



## Esco , Class II, Type A2 Biological Safety Cabinets

Airstream® Class II Biological Safety Cabinet (E-Series) Airstream® Class II Biological Safety Cabinet (S-Series) Airstream® Class II Biological Safety Cabinets (G-Series) Airstream® Class III Biosafety Cabinet Labculture® Class II Type B2 (Total Exhaust) Biosafety Cabinet Streamline®



Class II Biological Safety Cabinets Airstream® Tu  
 an toàn sinh học cap 2 loại A2 Airstream



**ESCO**

Poste de sécurité microbiologique AIRSTREAM  
 ESCO - Economique Silencieux Compact EN  
 12469 Sécurité - Filtres HEPA 120 cm AC2-4E8:  
 1340 x 810 x 1400: 1220 x 580 x 660: 230 : x: 1  
 à droite + 1 à gauche : 7376,31: Disponible:  
 H033719: Modèle : 150 cm AC2-5E8

**Airstream® NS (S-series) G4  
 Class II Type A2 BSC**

Esco Lifesciences' latest generation Class II Type  
 A2 Biological Safety Cabinet with touchscreen  
 controller. The industry's most advanced, most  
 comfortable, and energy-efficient compact  
 biosafety cabinet. VHP OUT PORT For Cabinet  
 WITH Exhaust collar installed (1-inch diameter)  
 for AC2-2-NS G4: 51711111: VHP-ECO/OUT  
 LA2-3-G4: VHP OUT PORT



**ESCO?????Airstream Plus  
 E??AC2-4E8-TU\_??\_??**

ESCO????? Airstream Plus E ?? AC2-4E8-TU. ?????:  
 Airstream® Plus ??? ? ?????? Airstream® Gen 3  
 ???,?????,????????????? ? ????????

[Class II Biological Safety Cabinets](#)

Esco AC2 Airflow: OK I: 0.45 m/s Socket: ON  
 15:34 Sash: OK D: 0.30 m/s Diagnostics button,  
 to easily check the cabinet operating parameters

and assist AC2-4E8 2010621 AC2-5E8 2010656  
 AC2-6E8 2010657 AC2-4G8 2010734 AC2-6G8  
 2010743 Stainless Steel Side Wall AC2-2S8  
 2010767 AC2-3S8 2010721 AC2-4S8 2010711  
 AC2-5S8 2010725 AC2-6S8 2010722 AC2-4D8



## Esco , Class II Microbiological Safety Cabinets, Gen 3 (E-Series)

Be amazed with Esco Airstream® Class II Biological Safety Cabinet an effective solution in providing operator, product and environmental protection within laboratories and industrial facilities. AC2-3E9: 115 V 50/60 Hz: AC2-4E8: 1340 x 753 x 1400: 1340 x 810 x 1400: 1220 x 580 x 660: 0.45 m/s (90 fpm) 0.30 m/s (60 fpm) 230 V 50/60 Hz: AC2

## Esco , Class II Microbiological Safety Cabinets, Gen 3 (E-Series)

Esco offers a variety of options and accessories to meet local applications. Contact Esco or your local Sales Representative for ordering information. AC2-3E9: 115 V 50/60 Hz: AC2-4E8: 1340 x 753 x 1400: 1340 x 810 x 1400: 1220 x 580 x 660: 0.45 m/s (90 fpm) 0.30 m/s (60 fpm) 230 V 50/60 Hz: AC2-4E9: 115 V 50/60 Hz: AC2-5E8: 1645 x 753 x



[Tu an toàn sinh học cấp II](#)

Model: AC2-4E8. Hãng sản xuất: Esco -



Singapore. Xuất xứ: Indonesia. Cung cấp bao gồm: + 01 thân tủ chính + 02 đèn huỳnh quang + 01 đèn tiệt trùng UV-30A + 01 chân đế tủ với 04 bánh xe + 02 ổ cắm điện bên trong tủ

## Tủ an toàn sinh học cấp II Class II - model: AC2-4E8

1. Thông số kỹ thuật: Là tủ an toàn sinh học kích thước cơ bản 1.2m thuộc dòng Airstream của hãng Esco, với 3 chức năng bảo vệ sản phẩm/vật mẫu, người sử dụng và môi trường. Hình ảnh Tủ an toàn sinh học cấp II Class II - model: AC2-4E8 Thiết bị đạt các Continue reading




### MAW Class II Cabinet

Esco AC2 Airflow: OK I: 0.48 m/s Socket: ON 15:34 Sash: OK D: 0.35 m/s LED Lamp o Energy-efficient o Lasts 4x longer than a fluorescent lamp o Brighter than a fluorescent lamp Unique Stainless Steel and Glass Hybrid Wall (E-Series) o Large corner radius for easy cleaning AC2-4E8-TU ® ® ® ® ® Esco Multi-Zone ART Workstation

## Esco Airstream E-Series Class II Cabinets AC2-4E8

Stock Code: AC2-4E8 Class II cabinet Esco Airstream E-Series working width 1220mm, manual sliding sash, 1 fan, 0.16kW maximum power draw, 61.1dB noise level, no VHP ports, recirculating, no angled HEPA filter, with 2 years warranty





## [Tu an toàn sinh học ESCO AC2-4E8](#)

Tu an toàn sinh học ESCO AC2-4E8 là tu an toàn sinh học kích thước cơ bản 1.2m thuộc dòng Airstream của hãng Esco, với 3 chức năng bảo vệ sản phẩm/ vật mẫu, người sử dụng và môi trường.

## **Airstream® Class II Biological Safety Cabinets, Gen 3 ...**

Its large performance envelope is an open declaration of possible safe operating airflow values. Certified to EN 12469, Esco Airstream® Class II Biological Safety Cabinet also has antimicrobial coating on all its external and internal painted ...



## **Esco AC2-4E8-TU Airstream® Plus Class II Biological ...**

The World's Leading Energy-Efficient, Quiet, and Compact Biosafety Cabinet. TÜV NORD Certified to EN 12469. Equipped with the latest technology and upgrades from the Airstream® Gen 3, the Airstream® ...

## **Contact Us**

---

For catalog requests, pricing, or partnerships, please visit:  
<https://ian-solar.co.za>