

Solar Energy South Africa

Cabo Verde 12hx330 fr battery



Cabo Verde 12hx330 fr battery



EnerSys DataSafe 12HX150-FR Battery 12v 150W


EnerSys DataSafe 12HX150-FR valve regulated lead acid batteries have been designed to offer superior solutions for the Information Technology and Uninterruptible Power Supply markets. DataSafe 12HX150-FR batteries are the ideal source of power to protect vital systems. DataSafe HX batteries incorporate select design features that maximize reliability while ensuring

...

EnerSys DataSafe 12HX300-FR Battery 12v 284W

EnerSys DataSafe 12HX300-FR valve regulated lead acid batteries have been designed to offer superior solutions for the Information Technology and Uninterruptible Power Supply markets. DataSafe 12HX300-FR batteries are the ideal source of power to protect vital systems. DataSafe HX batteries incorporate select design features that maximize reliability while ensuring

...



Display screen
Linux operation system
quad-core processors
smooth and stable system

[HX330 EnerSys Battery](#)

HX330 by EnerSys battery sales support call (888) 330-2538. Power Pros provides expert sales and support on EnerSys batteries. SKU: 12HX330-FR . Shipping: Freight - Call 888-330-2538 for Rates. Qty: Email a Friend . Additional Info. enersys-datasafe-hx-batteries

[EnerSys HX 12HX330 UPS Battery](#)

This is a genuine EnerSys HX 12HX330 rechargeable sealed lead acid battery with high-rate discharge design that guarantees an excellent performance in UPS applications. The genuine EnerSys HX 12HX330 UPS battery has 370 Watts per cell on 15-min rate at 1.67 Volts. With a self-discharge rate of less than 3% per month, the genuine EnerSys HX 12HX330 UPS battery ...



[Energys 12HX300 Datasafe Battery](#)

The EnerSys 12HX300 DataSafe Battery is a high quality sealed lead acid rechargeable battery that is engineered to provide superior performance and long service life. This battery is a maintenance-free, non-spillable valve regulated sealed lead-acid battery.

EnerSys 12HX300-FR Battery, 12V 70AH 284 WPC

The 12HX300-FR Battery from High-Tech Battery Solutions comes with a free one-year replacement warranty. Shop now! Skip to main content. FREE SHIPPING ON ORDERS \$75 AND UP! View Now. EnerSys 12HX330 Specifications. Length: 10.20 (in) Width: 6.9 (in) Height: 8.2 (in) Weight: 60 lbs; Terminal: Insert (M6)



[Battery Cabinet](#)

The HX battery cabinet offering now makes the DataSafe HX battery the ideal choice to optimize your UPS system installation, while offering flexibility in allowing customized
 55E1E330XD4801B250#0*S1?? 12HX330-FR 480
 1 40 40.0 (1016) 29.5 (749) 78.7 (1999) 3535



(1603) 3565 (1617)
 55E1E400XD4801B250#0*S1?? 12HX400-FR 480
 1 40 40.0 (1016) 29.5

EnerSys DataSafe 12HX330-FR Battery 12v 336W

EnerSys DataSafe 12HX330-FR Battery 12v 336W
 \$ 1,152.90 Original price was: \$1,152.90. \$ 691.74 Current price is: \$691.74. In stock. Ships in 5-10 days - Available Online Only. EnerSys DataSafe 12HX330-FR valve regulated lead acid batteries have been designed to offer superior solutions for the Information Technology and Uninterruptible



12HX330-FR ENERSYS, 12HX330-FR IS THE BATTERY , Newark ...

Achetez 12HX330-FR - ENERSYS - 12HX330-FR IS THE BATTERY. Newark Électronique Canada propose des devis rapides, une expédition le jour même, une livraison rapide, un vaste inventaire, des fiches techniques et un support technique.

ENERSYS DATASAFE 12HX330-FR BATTERY 12V 336W 82 Amp ...

This ENERSYS DATASAFE 12HX330-FR BATTERY 12V 336W 82 Amp Hour battery is regulated lead acid batteries have been designed to offer

superior solutions for the Information Technology and Uninterruptible Power Supply markets. It is the ideal source of power to protect vital systems. Made to maximize reliability while ensuring superior performance.



EnerSys DataSafe 12HX330-FR Battery 12v 336W

EnerSys DataSafe 12HX330-FR valve regulated lead acid batteries have been designed to offer superior solutions for the Information Technology and Uninterruptible Power Supply markets. DataSafe HX batteries are the ideal source of power to protect vital systems. DataSafe HX batteries incorporate select design features that maximize reliability while ensuring superior ...

[Battery Performance Specifications](#)

Battery Performance Specifications
Telecommunications. Publication No: US-HXTEL-PS-001 - September 2014 Features and Benefits
oPositive and negative plate grids made of lead-calcium-tin alloy for long life and 12HX330 12 82 336 8.4 213 6.8 173 11.8 300 71.0 32.2 3700 586 3.4



DataSafe 12HX330 FR Battery by EnerSys, 12 Volt 336 W per Cell

The Data Safe 12HX330-FR provides extremely high energy density, leak proof construction, and

Sample Order
 UL/KC/CB/UN38.3/UL



excellent performance in either float or cyclic applications. With its inherent LONG service life - this FLAME RETARDANT battery is the premiere battery available in this form factor. **CROSSES TO & REPLACES BATTERY PART NUMBERS: C& D - UPS12-350 MR**

[EnerSys DataSafe HX 12HX330](#)

The DataSafe HX 12HX330 is suited to low-ventilation, high-rate applications and vital systems. This International Air Transport Authority (IATA) approved, UL standard-meeting battery combines 12V with a minimum level of gas evolution. The DataSafe HX 12HX330 is safe enough to use in offices and cabinets.



Energys 12HX330 Datasafe Battery Data Sheet

The DataSafe® HX top terminal battery range of Valve Regulated Lead Acid (VRLA) batteries has been designed to offer superior solutions for the Information Technology (IT) and Uninterruptible 12HX330-FR 12 83 336 11.8 300 6.8 173 8.4 213 71.0 32.2 3700 3.4 1 D 1.25 4.73 13.54 6.14

[BATERÍAS DATASAFE 12HX330-FR 12V 82AH](#)

DATASAFE 12HX330-FR BATTERY 12V 82Ah 336W. Peso 32 kg Dimensiones 29.9 × 17.2 × 21.3 cm Equipos Compatibles Alarmas, Equipos contra Incendios, Equipos Médicos, Telecomunicaciones, Ups, No-Breaks. Garantía 1 Año. Ciclo de Vida 10 años. Cubierta UL 94 V-0 Flame Retardant. Terminales M6 Insert.



Compare. Añadir a Favoritos



DataSafe HX 12V Top Terminated Battery Installation

Battery Model Maximum Charging Current (Amps) Maximum Allowable Ripple Current (Amps RMS) 12HX205-FR 11.0 2.1 12HX300-FR 18.0 3.5 12HX330-FR 21.0 4.1 12HX400-FR 24.0 4.7 12HX505-FR 30.0 5.9 12HX540-FR 31.0 6.1
 Charging Current The recommended charging method for DataSafe HX batteries is current limited, constant voltage charging.

EnerSys DataSafe 12HX35T-FR Battery 12v 36W Flame Retardant

EnerSys DataSafe 12HX35T-FR valve regulated lead acid batteries have been designed to offer superior solutions for the Information Technology and Uninterruptible Power Supply markets. DataSafe HX batteries are the ideal source of power to protect vital systems. DataSafe HX batteries incorporate select design features that maximize reliability while ensuring superior ...



[EnerSys DataSafe HX 12HX330](#)

The DataSafe HX 12HX330 is suited to low-ventilation, high-rate applications and vital systems. This International Air Transport Authority (IATA) approved, UL standard-meeting battery combines 12V with a minimum level of gas ...

[Energys 12HX330 UPS Battery \(Replacement\)](#)

The replacement Energys 12HX330 UPS battery has 370 Watts per cell on 15-min rate at 1.67 Volts. With a self-discharge rate of less than 3% per month, the replacement Energys 12HX330 UPS battery has an expected life up to 10 years in standby use and it can be used for up to 300 cycles at 100% discharge in cycle service.



EnergSys DataSafe 12HX330FR Lead Acid Battery

12HX330. Terminal: Recessed M6. Terminal Layout: Case Material: Flame Retardant ABS Plastic. UPC Code: Manufacturers Model # 12HX330FR. Manufacturers SKU: 12HX330FR. Deprecated Model # Applications: Voltage: ...

ENERSYS DATASAFE 12HX330-FR BATTERY 12V ...

This ENERSYS DATASAFE 12HX330-FR BATTERY 12V 336W 82 Amp Hour battery is regulated lead acid batteries have been designed to offer superior solutions for the Information Technology and Uninterruptible Power Supply ...




12HX330-FR ENERSYS, 12HX330-FR IS THE BATTERY

Buy 12HX330-FR - ENERSYS - 12HX330-FR IS THE BATTERY. Newark Electronics offers fast quotes, same day dispatch, fast delivery, wide inventory, datasheets & technical support. 12HX330-FR 12HX330-FR IS THE BATTERY. Image is for illustrative purposes only. Please refer to product description. Manufacturer ENERSYS. Manufacturer Part No 12HX330-FR.

Energys 12HX400 Datasafe Battery Data Sheet

The DataSafe® HX top terminal battery range of Valve Regulated Lead Acid (VRLA) batteries has been designed to offer superior solutions for the Information Technology (IT) and Uninterruptible 12HX330-FR 12 83 336 11.8 300 6.8 173 8.4 213 71.0 32.2 3700 3.4 1 D 1.25 4.73 13.54 6.14



[New 12V Front Terminal UPS Battery](#)

terminal DataSafe® 12HX680F-FR to our line of Uninterruptible Power Supply (UPS) battery solutions. The DataSafe 12HX680F-FR battery offers the convenience and lower maintenance costs of a front terminal battery design but still delivers the power required for demanding high rate UPS applications.

12HX300-FR EnerSys Data Safe , Power Storage Solutions

ENERSYS DATASAFE® 12HX300-FR BATTERIES. Power Storage Solutions is a premier platinum stocking Distributor for the Datasafe 12HX300 batteries. We maintain the batteries in a climate controlled environment, then charge and test each unit prior to shipment.



12HX330-FR EnerSys Data Safe , Power Storage Solutions

12HX330-FR Specifications. Voltage: 12 volt, 82 AH Terminal Type: Threaded Receptacle Normal operating temperature range -22F/-30C to 122F/50C Float charging voltage 2.25 - 2.28 Volts per cell at 77F/25C Charging current - can be

safely recharged at high current rates Flame
retardant case and cover meet UL 1778.
12HX330-FR Construction



Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://ian-solar.co.za>