

Solar Energy South Africa

Jauch battery solutions Türkiye



Overview

What types of batteries does Jauch offer?

Today, we offer a wide range of primary lithium batteries and rechargeable battery systems. Many of our batteries are available directly from stock. Customized battery systems with a battery management system. Jauch provides complete solutions for your battery system according to your requirements.

What solutions does Jauch offer?

Jauch provides complete solutions for your battery system according to your requirements. Standard cells and customized packs, from simple cells to intelligent battery packs for the most demanding applications. Individual Solutions We take care of special requests for design-in as well as all relevant safety aspects.

Where can I learn more about Jauch battery solutions and frequency control products?

Visit us at booth A5.502 to learn more about our battery solutions and frequency control products. Jauch is expanding its range of high-performance lithium ion round cells with two new designs: LI18650 and LI21700. These new cells are ideal for medical technology, power tools and industrial applications.

Is Jauch a good supplier?

“The collaboration with Jauch is very positive. With Jauch, we have found a reliable and competent supplier of crystals who consistently meets our quality and on-time delivery requirements. The smooth communication and technical expertise of Jauch confirm our choice.” - Andreas Schimpf, Supply Chain Manager at TireCheck.

Jauch battery solutions Türkiye




[Jauch Battery Solutions](#)

and battery designs/specifications are subject to modification without notice. Contact JAUCH for the latest information. Jauch Battery Solutions - Reliable energy for your application - Standard cells and customized packs - ESD protection- Battery Certification Experts Voltage (V) At +25oC 1 10 100 1,000 Discharge Time (h) 10,000 100,000 1.0 1

[Jauch Battery Solutions](#)

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Cell Used LP305166JH 1s1p Charge Voltage 4.2 V Jauch No. 248237 Standard Current 0.2 C



[Jauch Battery Solutions](#)

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP503759JU Charge Voltage 4.2 V Jauch No. 246517 Standard Current 0.5 C (675 mA)

[Jauch Battery Solutions](#)

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized

packs o ESD protection o Battery Certification
Experts SPECIFICATIONS CHARGING
CHARACTERISTICS PER BATTERY PACK Cell Used
LI21700JSV-50 Charge Voltage 4.2 V Jauch No.
251511



[Jauch Battery Solutions](#)

Jauch Battery Solutions o Reliable energy for
your application o Standard cells and customized
packs o ESD protection o Battery Certification
Experts SPECIFICATIONS CHARGING
CHARACTERISTICS PER BATTERY PACK Model
LI18650JLS HB 1S2P Charge Voltage 4.2 V Jauch
No. 250480 Standard Current 1300 mA


[Jauch Battery Solutions](#)

Jauch Battery Solutions o Reliable energy for
your application o Standard cells and customized
packs o ESD protection o Battery Certification
Experts SPECIFICATIONS CHARGING
CHARACTERISTICS PER BATTERY PACK Model
LP605060JU Charge Voltage 4.2 V Jauch No.
246519 Standard Current 0.5 C (950 mA)



[Jauch Battery Solutions](#)

Jauch Battery Solutions o Reliable energy for
your application o Standard cells and customized
packs o ESD protection o Battery Certification
Experts SPECIFICATIONS CHARGING
CHARACTERISTICS PER BATTERY PACK Model
LI18650JLS HB 1S1P Charge Voltage 4.2 V Jauch
No. 250479 Standard Current 650 mA



[Jauch Battery Solutions](#)

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP305166JH Charge Voltage 4.2 V Jauch No. 248237 Standard Current 0.2 C (240 mA)



[Jauch Battery Solutions](#)

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP102530JU Charge Voltage 4.2 V Jauch No. 246510 Standard Current 0.2 C (140 mA)

[Jauch Battery Solutions](#)

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts trip Jauch Quartz GmbH o email: batterytechnology@jauch Version 1.2 10/2022 TFN SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK



[Jauch Battery Solutions](#)

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP443441JU Charge Voltage 4.2 V Jauch No. 246509 Standard Current 0.2 C (130 mA)

Jauch: quartz crystals, oscillators and battery technology

We are proud to be showcasing our innovative battery solutions, from highly customizable lithium ion and lithium polymer cells, high-energy-density lithium thionyl chloride batteries to our own branded coin cells. Visit our team in hall 5, stand N69 to learn more about our battery solutions and the frequency control products.



[Jauch Battery Solutions](#)

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP402025JU Charge Voltage 4.2 V Jauch No. 246483 Standard Current 0.2 C (30 mA)

[Jauch Battery Solutions](#)

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LI18650JC-26 1s1p Charge Voltage 4.2 V Jauch No. 250262 Standard Current 1250 mA



[Jauch Battery Solutions](#)

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts @21 ±2°C SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP103450JH Charge Voltage 4.2 V Jauch No.

246520 Standard Current 0.2 C (380 mA)



Jauch Battery Solutions

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Cell Used LI NCR18650-BF 2s2p Charge Voltage 8.4 V Jauch No. 246478 Standard Current 0.2 C



- IP65/IP55 OUTDOOR CABINET
- WATERPROOF OUTDOOR CABINET
- 42U/27U
- OUTDOOR BATTERY CABINET



All in one
50-500 Kwh
 Hybrid System

Jauch Battery Solutions

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Cell Used LI ICR18650-26 1s1p Charge Voltage 4.2 V Jauch No. 243128 Standard Current 0.5 C

Jauch Battery Solutions

Jauch Battery Solutions - Reliable energy for your application - Standard cells and customized packs - ESD protection-Battery Certification Experts Voltage (V) At +25oC 1 10 100 1,000 Discharge Time (h) 10,000 100,000 1.0 1.5 2.0 2.5 3.0 3.5 4.0 RoHS 2011/65/EC RoHS compliant Pb free mineral free REACH compliant VOLTAGE VS. TEMPERATURE





Jauch Battery Solutions

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP103048JU Charge Voltage 4.2 V Jauch No. 246518 Standard Current 0.2 C (290 mA)

Jauch distributors , Farnell Türkiye

Jauch ürünlerini satın alın. Farnell Türkiye hızlı teklifler, aynı gün teslimat, geniş stok, veri sayfaları ve teknik destek sunar.



BATTERY TECHNOLOGY

Jauch can offer complete battery solutions for your system according to your technical requirements - from standard batteries using single cells to multi-cell, customized packs with intelligent microprocessor control for the most sophisticated applications. We can take your unique design requests into

Jauch Battery Solutions

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts Life Expectancy 0.5C/0.5C SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP523450JU Charge Voltage 4.2 V Jauch No. 246513 Standard Current 0.2 C (200 mA)





[Jauch Battery Solutions](#)

Jauch Battery Solutions o Reliable energy for
your application o Standard cells and customized
packs o ESD protection o Battery Certification
Experts SPECIFICATIONS CHARGING
CHARACTERISTICS PER BATTERY PACK Model
LP851719JU Charge Voltage 4.2 V Jauch No.
237924 Standard Current 0.2 C (40 mA)

Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://ian-solar.co.za>