

Solar Energy South Africa

U S Outlying Islands duperthal safety storage cabinet



Overview

Why should you choose a düperthal Type 90 storage cabinet?

Extreme testing of the Type 90 DÜPERTHAL safety storage cabinet With Smart Control and the right choice of sensors, processes can be efficiently optimised and the level of prevention adapted to individual requirements. Every operator is responsible for the safety of users and their activities along the entire internal process chain.

Are düperthal storage cabinets safe?

Therefore, DÜPERTHAL safety storage cabinets guarantee compliance with the requirements of the Occupational Safety and Health Administration (OSHA and EU-OSHA). We will clarify all relevant topics and train you in the safe handling of our products. Highly complex processes rely on robust structures.

How to maintain a safety storage cabinet?

Particularly when charging batteries, the exhaust function must be continuously (24/7) in operation and monitored to prevent any accumulated heat energy inside the cabinet. The doors of safety storage cabinets must be kept closed after use, this applies especially, if the properties of the stored material bears any safety risks.

Should the doors of safety storage cabinets be closed after use?

The doors of safety storage cabinets must be kept closed after use, this applies especially, if the properties of the stored material bears any safety risks. This sensor can provide an easy way to monitor the status of the door (open/closed).

Why should you choose high quality safety storage cabinets?

Shop High Quality Safety storage cabinets The handling of hazardous substances is subject to stringent regulations – for good reason. Therefore, we support you with a wide range of products for safe storage of sensitive

hazardous materials, regardless of whether they are in a liquid, solid or gaseous form.

What services does düperthal offer?

DÜPERTHAL therefore provides comprehensive support for your national and international projects with planning, delivery service, construction site support and training of lab managers and users. Our team of specialists ensures a smooth, optimised assembly process on-site.

U S Outlying Islands dupertal safety storage cabinet



ECO LINE , Type G30

Classical door technology (door handle). For the storage of pressurised gas cylinders. Type testing by MPA/TÜV SÜD according to DIN EN 14470-2, DIN EN 16121 and DIN EN 16122, EK5/AK4 09-10:2009 and AfPS GS 2014:01 PAK Mark of approval: GS mark, Product marking: CE, high quality mark of approval by TÜV SÜD Construction and colour:

BATTERY LINE , Type 90

Classical door technology (door handle) For the storage and charging of lithium-ion batteries Type-tested by MPA/ TÜV SÜD according to DIN EN 14470-1, DIN EN 16121, DIN EN 16122, DIN 31000, and IEC 61439 Loss prevention in terms of VdS 3103 Mark of approval: Safety tested and CE mark Construction and colour:



COMFORT line safety storage cabinets

Safety storage cabinets with pneumatically controlled folding doors. A maximum of ergonomics and comfort is offered by the COMFORT line from DÜPERTHAL with 90-minute fire protection and pneumatic foot control. The storage shelves offer the largest storage capacity and ideal use of space with their height adjustment in the 16 mm (0.63 inch) pitch.

Safety cabinets type 90 in detail

Ventilation and venting at every cabinet level with visual inspection of the shut-off dampers, with continuous earthing concept as standard. Increased lifetime for your investment Endurance test in accordance with DIN EN 14727 or newly ...



BASIC line , Type 30

Classical door technology (door handle). For the storage of flammable liquids. Type testing by MPA according to DIN EN 14470-1. Conformity assessment according to: EC Machinery Directive 2006/42/EC Annex II A, DIN EN 16121, DIN EN 16122, Mark of approval: CE mark.

Storage of compressed gas cylinders


Each cabinet model is type-tested in a fire chamber according to DIN EN 14470-2 type G90/type G30. Storage capacity. The maximum storage capacity per safety cabinet including purge gas is 220 litres, a maximum of four gas cylinders with 50 litres each or ...

DETAILS AND PACKAGING



HPLC Service Station mobile unit

Fire-proof safety storage cabinets by DUPERTHAL offer a reliable fire protection of 90 minutes. In case of an emergency, this protection provides enough time to evacuate the building and to extinguish the fire safely and thoroughly. The ...



CHEM line safety storage cabinets

Safety storage cabinets for non-flammable substances. For the safe storage of non-flammable substances and substances hazardous to water WGK 1-3 in small containers in accordance with the regulations. This product complies with the requirements of the German Equipment and Product Safety Act.



CLASSIC LINE , Safety storage cabinets

classical door technology (door handle) for the storage of flammable liquids type testing by MPA/TÜV SÜD according to DIN EN 14470-1, DIN EN 16121 and DIN EN 16122, EK5/AK4 21-01:2021 and AfPS GS 2019: 01 PAK mark of approval: GS/CE mark, high quality mark of approval by TÜV SÜD construction and colour:

HSC Hazardous Substances Centre safety storage cabinets

HSC Hazardous Substances Centre - Type 90 Safety storage cabinet for combined storage. The HSC Hazardous Substances Centre by DÜPERTHAL offers a lot of room for optimal storage of acids, lye and flammable liquids with fire protection of 90 minutes.



Type 90


Safety storage cabinets. Type 90 - lithium ion batteries. Cookie preferences . Use the free hotline, send us an email or use our contact form. +49 6188 9139-0 info@dueperthal Kontaktformular . Newsletter. Subscribe to the free newsletter and do ...



Type G90

Safety storage cabinets. Type G90 - storage of gas. Cookie preferences . Use the free hotline, send us an email or use our contact form. +49 6188 9139-0 info@dueperthal Kontaktformular . Newsletter. Subscribe to the free newsletter and do not miss any news or promotions.

ESS



[Storage of compressed gas cylinders](#)

Each cabinet model is type-tested in a fire chamber according to DIN EN 14470-2 type G90/type G30. Storage capacity. The maximum storage capacity per safety cabinet including purge gas is 220 litres, a maximum of four gas cylinders with ...

[ECO line safety storage cabinets](#)

Safety storage cabinets Type G30 for pressurised gas cylinders. The ECO line Type G30 models from DÜPERTHAL are the ideal solution for the cost-effective storage of pressurised gas cylinders with 30-minute fire protection. Discover the smart way to increase comfort and flexibility in your custom-designed workplace.



[CLASSIC line safety storage cabinets](#)



CLASSIC line - Type 90 Safety storage cabinets with wing door technology. Your classical standard solution for the storage of hazardous substances: The CLASSIC line - highest level of fire protection and as practicable as you require.

[BENCH LINE , Type 90](#)

Safety storage cabinets. Type 90 - flammable liquids. Cookie preferences . This website uses cookies, which are necessary for the technical operation of the website and are always set. Other cookies, which increase the comfort when using this website, are used for direct advertising or to facilitate interaction with other websites and social



CLASSIC line pure safety storage cabinets

DÜPERTHAL safety storage cabinets CLASSIC line pure with classic wing door technology - get in touch! To partner portal. info@dueperthal . For a free consultation +49 6188 9139-0. (M 3.5 = 100 according to US Fed. Std. ...

Type 90

Safety storage cabinets. Type 90 - combined storage. Cookie preferences . Use the free hotline, send us an email or use our contact form. +49 6188 9139-0 info@dueperthal Kontaktformular . Newsletter. Subscribe to the free newsletter and do ...





ACID line , Non-flammable substances , Safety storage cabinets

Classical door technology (door handle) door hung right For the storage of non-flammable liquids Type testing by MPA/TÜV SÜD according to DIN EN 16121 and DIN EN 16122, AfPS GS 2019: 01 PAK Mark of approval: GS/CE mark, high quality mark ...

Safety Storage

Type 90 safety storage cabinet . Fire protected refrigerators . Pressurised gas cylinder storage Non-flammable substances . Accumulators . Gas cylinders . Cooled storage . Safety storage container . Hazardous material - storage systems . Hazardous material - depots . Collection trays
 Contact us +49 6188 9139-0 info@dueperthal



UTS line , Type 90

One-hand door technology (Push-to-open). For the storage of flammable liquids. Type testing by MPA/TÜV SÜD according to DIN EN 14470-1, DIN EN 16121 and DIN EN 16122, EK5/AK4 21-01:2021 and AfPS GS 2019: 01 PAK Mark of approval: GS mark, Product marking: CE, high quality mark of approval by TÜV SÜD
 Construction and colour:

Duperthal Safety Cabinet Type 90 Uts Ergo Line M-5

Duperthal Safety Cabinet Type 90 Uts Ergo Line M-5. FREE delivery for orders above S\$80. Add items to cart to check affordable delivery & lead time. US SAFETY CABINETS - STORAGE &

SECURITY; WORKSAFE SAFETY CABINETS - ACID;
SAFETY CONTAINMENT . DRUMS & CANS;
JUSTRITE BERMS, DRUMS & TANKS; JUSTRITE
SPARE PARTS; NEW PIG ...



HSC UTS ergo line safety storage cabinets

Safety storage cabinets for combined storage in the smallest possible space For compact storage of acids, lye and flammable liquids, we recommend the HSC UTS ergo line. Along with 90 minutes of fire protection, this versatile under ...

CLASSIC line pure safety storage cabinets , DÜPERTHAL

DÜPERTHAL safety storage cabinets CLASSIC line pure with classic wing door technology - get in touch! To partner portal. info@dueperthal . For a free consultation +49 6188 9139-0. (M 3.5 = 100 according to US Fed. Std. 209e). Your added advantage with the CLASSIC line pure! Health Ventilation on each cabinet level provides optimised air



Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://ian-solar.co.za>